

**CHRISTU JYOYHI CONVEVT
SEN. SEC. SCHOOL BARAUT**

SESSION 2020-21

Class - Xth

TOPIC – SHOPPING MALL

SUBJECT – COMPUTER APPLICATION

GUIDED BY

MRS.

DEEPA

RANI

MADE BY

ACKNOWLEDGEMENT

This project has been written in simple & lucid style for better understanding & appreciation of the style. It has been compiled systematically to available one to evaluate details of the report.

Needless to say, I am deeply indebted to my teacher for guidance & blessing during the course of investigatory work.

No words can crystallize in expressing my respect and deep sense of gratitude to my parents, teachers and those who gave me timely help and constant encouragement in completing the work.

Certificate

This is to certify that the project entitled
SHOPPING MALL submitted in the partial
fulfillment of the requirements of class XTH from
CHRISTU JYOTI CONVENT HIGHSEC. SCHOOL,
BARAUT is a record of bonafide work carried out
by.....under my supervision.

SIGNATURE:-

DATE:-

INDEX

S. No.	Contents	Page no	Signature
	Unit I		
1.	Introduction	5	
2.	Hardware & Software Used	6	
3.	Source Code	8	
4.	Output	41	
5.	Variable Description	45	
6.	Conclusion	46	

INTRODUCTION

This is our project of computer science. The topic of our project is Shopping mall. This project is made under the guidance of Mrs. Deepa Rani, our computer science teacher. It is made in a very simple and lucid language as to make the words and concept clear.

It is made using the concepts that we had learned till date. Scanner class, Math class, etc. has been used to simplify the program and increase its usability. It is a very helpful project to understand all the concepts in a very easy and healthy way.

HARDWARE AND SOFTWARE USED

OS Name	Microsoft Windows XP Professional
Version	5.1.2600 Service Pack 2 Build 2600
OS manufacturer	Microsoft Corporation
System Name	CHANDAN
System manufacturer	INTEL_
System Model	DH43RK_
System Type	x86-based PC
Processor Mhz	x86 family 6 Model 23 Stepping 10 GenuineIntel ~2926
SMBIOS Version	2.6
Windows Directory	C:\WINDOWS
System Directory	C:\WINDOWS\system32
Boot device	\Device\HarddiskVolume1
Time zone	India Standard Time
Total Physical memory	4,096.00 MB
Available Physical memory	2.64 GB
Total Virtual memory	2.00 GB
Available Virtual memory	1.96 GB
Page File Space	5.05 GB

KEYBOARD

Description Standard 101 /102-key or Microsoft Natural PS/2 keyboard

Name Enhanced (101- or 102-key)

MOUSE

Name HID COMPLAINT MOUSE ACER

MONITOR

Name ACER 18.5" LED

BLUEJ

Version Blue j 3.0.7

SOURCE CODE

```
import java.io.*;

class ShoppingMall
{
    double cost = 0;
    double s = 100.0;
    int n = 100;
    int z = 0;
    double disc = 0;
    String name[] = new String[n];
    double price[] = new double[n];
    public static void main(String args[])throws IOException
    {
        BufferedReaderstd = new BufferedReader(new
        InputStreamReader(System.in));
        doubleBillamt = 0;
        String st;
```



```

while(true)
{
System.out.println("*****()()*****()()*****");
System.out.println("*****WELCOME      TO      SHOPPING
MALL*****!!!");
System.out.println("*****OUTLLA      SHOPPING
MALL*****");
System.out.println("@@@@@@@@ The Clothing store where
all your needs for clothes are fulfilled
@@@@@@@@@@@@@@@@");
System.out.println("%%%%%%%%%%If your in for a mood of
shopping then...YOU ARE IN THE RIGHT
PLACE%%%%%%%%%");
ShoppingMallobj = new ShoppingMall();
do
{ System.out.println("We allow our customers to shop
conveniently and provide them a wide variety of choices to
choose from.");
System.out.println("The choices are \n 1. Women's Wear \n
2.Men's Wear \n 3. Surprise Section");
}

```

```
System.out.println("Enter your choice");
int c = Integer.parseInt(std.readLine());
switch(c)
{ case 1: obj.Women(); break;
  case 2: obj.Men(); break;
  case 3: obj.Surprise(); break;
  default: System.out.println("Please check your Input");
        }
System.out.println("###Please type 'Stop' if you want to
stop###");
System.out.println("!!!Type anything else if u want to continue
shopping!!!");
st = std.readLine();
    }
while(!(st.equalsIgnoreCase("stop")));
System.out.println("Your Bill :");
System.out.println("S1.no\t Item name\t\t\t Cost of the
item");
```

```
for(int i = 0; i<obj.z; i++)  
{  
System.out.println(i+1+"\t"+obj.name[i)+"\t\t\t\t"+obj.price[i]+  
"Rs"); }  
  
Billamt = obj.cost+Billamt;  
  
System.out.println("Total cost to be paid = Rs" +Billamt);  
  
System.out.println("Hope you enjoy shopping ! and please do  
come back soon !");  
  
System.out.println("And if you are not enjoy it!!!! SORYYYYY  
FOR THAT");  
  
System.out.println("THANKSSSSSSSSSS FOR VISITING");  
  
System.out.println("Are there any more customers?");  
  
System.out.println("Enter    No    if there are no more  
customers");  
  
    String str =std.readLine();  
  
if(str.equalsIgnoreCase("No"))  
  
break;  
  
    }  
  
}
```

```

public void Women()throws IOException
{
    BufferedReaderstd      =      new      BufferedReader(new
InputStreamReader(System.in));

    System.out.println("!!!!!! Welcome to the Women's clothing
section !!!!!!");

    System.out.println("$$$$$$We provide a wide range of
selections $$$$$$");

    System.out.println("^^^^^^^^ So kindly enter the number as
given in the menu ^^^^^");

    System.out.print("Enter \t 1. for Ethnic Wear \t 2. for Casual
Wear \t 3. for formal Wear \t 4. for Western Wear \t 5. for
Party Wear.");

    System.out.println("&&&&&& We are extremely delighted to
announce that &&&&&&");

    System.out.println("!!!! We provide 15% discount in the Casual
Wear selection and 25% discount on!!!!");

    System.out.println("@@@@ all the section of the Party Wear
@@@@ ");

    intchwo = Integer.parseInt(std.readLine());

```

```
switch(chwo)

{ case 1:

System.out.print("This is the Ethnic");

System.out.println("section and we are very glad to announce
that the latest designs have just come in!!");

System.out.println("The Ethnic section provide you with its own
varities.");

System.out.println("We also provide sizes ranging from
Small(s)\n\n, Medium(m)\n\n, Large(l) \n\n and Extra
Large(XL).");

System.out.println("Please enter the no according to your
choice");

System.out.print("Enter 1.for Saree \t 2.for Pattiyallas \t 3.for
Chuddidhars");

System.out.print(" \t 4.for SalwarsKameez \t 5.for Kurtis and
\t 6.for Ghagras.");

intnum = Integer.parseInt(std.readLine());

if(num==1)

{

name[z] = "Saree";
```

```
price[z] = 900;
z++;
System.out.println("The cost for your choice is Rs 900");
cost = cost+900;
}
else
if(num==2)
{ name[z] = "Pattiyallas";
price[z] = 500;
z++;
System.out.println("The cost for your choice is Rs 500");
cost = cost+500; }
else
if(num==3)
{ name[z] = "Chuddidhars";
price[z] = 400;
z++;
System.out.println("The cost for your choice is Rs 400");
```

```
cost = cost+400; }  
  
else  
  
if(num==4)  
{ name[z] = "SalwarsKameez";  
price[z] = 650;  
z++;  
System.out.println("The cost for your choie is Rs 650");  
cost = cost+650; }  
  
else  
  
if(num==5)  
{ name[z] = "Kurti";  
price[z] = 150;  
z++;  
System.out.println("The cost for your choice is Rs 150");  
cost = cost+150; }  
  
else  
  
if(num==6)  
{ name[z] = "Ghagras";
```

```
price[z] = 550;

z++;

System.out.println("The cost for your choice is Rs 550");

cost = cost+550; }

else

System.out.println("Please check your input");

break;

case 2:    System.out.print("This is the Casual section and we
are very glad to announce that we have receive the");

System.out.println("latest designs.");

System.out.println("here Casuals Wear section provide you
with wide varieties.");

System.out.println("We also provide sizes ranging from
Small(s)\n\n,Medium(m)\n\n,Large(l)\n\n,Extra Large(XL).");

System.out.println("Please enter the no according to your
choice.");

System.out.print("Enter \t 1.for Casual pants \t 2.for Casual
shirts/t-shirts \t 3.for Casual skirts");

System.out.print("\t 4.for sweaters/jackets \t 5.for
Dresses.");
```



```
num = Integer.parseInt(std.readLine());  
  
if(num==1)  
{ disc = 599-(0.15*599);  
name[z] = "Casual pants";  
price[z] = disc;  
  
z++;  
  
cost = cost+disc;  
  
System.out.println("The cost for your choice is Rs 399 but after  
discount it is Rs" +disc);  
  
    }  
  
else  
  
if(num==2)  
{ disc = 499-(0.15*499);  
name[z] = "Casual shirts/t-shirts";  
price[z] = disc;  
  
z++;  
  
cost = cost+disc;  
  
System.out.println("The cost of your choice is Rs 499 but after  
discount it is Rs" +disc);
```

```
}
```

```
else
```

```
if(num==3)
```

```
{ disc = 399-(0.15*399);
```

```
name[z] = "Casual skirts";
```

```
price[z] = disc;
```

```
z++;
```

```
System.out.println("The cost of your choice is Rs 399 but after  
discount it is Rs" +disc);
```

```
cost = cost+disc;
```

```
}
```

```
else
```

```
if(num==4)
```

```
{ disc = 299-(0.15*299);
```

```
name[z] = "Sweater/Jackets";
```

```
price[z] = disc;
```

```
z++;
```

```
System.out.println("The cost of your choice is Rs 299 but after  
discount it is Rs" +disc);
```

```
cost = cost+disc;
```

```
}
```

```
else
```

```
if(num==5)
```

```
{ disc = 750-(0.15*750);
```

```
name[z] = "Dresses";
```

```
price[z] = disc;
```

```
z++;
```

```
System.out.println("The cost of your choice is Rs 750 but after  
discount it is Rs" +disc);
```

```
cost = cost+disc;
```

```
}
```

```
else
```

```
System.out.println("Please check your input");
```

```
break;
```

```
case 3:    System.out.print("This the Formal Wear section and  
we are very glad to announce that");
```

```
System.out.println("we have received the designs.");
```

```
System.out.println("This Formal Wear section provides you  
with wide varieties.");
```

```
System.out.println("We also provide sizes ranging from  
Small(s)\n\n,Medium(m)\n\n,Large(l)\n\n,Extra Large(XL).");
```

```
System.out.println("Please enter the no according to your  
choice.");
```

```
System.out.print("Enter 1.for Formal pants \t 2.for Formal  
shirts/t-shirts \t 3.for Formal skirts \t 4.for Coats.");
```

```
num = Integer.parseInt(std.readLine());
```

```
if(num==1)
```

```
{ name[z] = "Formal pants";
```

```
price[z] = 599;
```

```
z++;
```

```
System.out.println("The cost of your choice is Rs 599");
```

```
cost = cost+599;
```

```
}
```

```
else
```

```
if(num==2)
{ name[z] = "Formal shirts/t-shirts";
price[z] = 399;
z++;
System.out.println("The cost of your choice is Rs 399");
cost = cost+399;
    }
else
if(num==3)
{ name[z] = "Formal skirts";
price[z] = 499;
z++;
System.out.println("The cost of you rchoice is Rs 499");
cost = cost+499;
    }
else
if(num==4)
{ name[z] = "Coats";
```

```
price[z] = 350;

z++;

System.out.println("The cost of your choice is Rs 350");

cost = cost+350;

    }

else

System.out.println("Please check your input");

break;

case 4: System.out.print("This is the Western Wear section and
we are very glad to announce that we have received");

System.out.println("the latest designs.");

System.out.println("The Western Wear section provide you
with wide varities from the Western side itself.");

System.out.println("We also provide sizes ranging from
Small(s)\n\n,Medium(m)\n\n,Large(l)\n\n,Extra Large(XL).");

System.out.println("Please enter the no. according to your
choice");

System.out.print("Enter \t 1.for Jeans(Denim) \t 2.for Fancy
tops(Sleeveless,Halernacked,Full sleeves etc.");

num = Integer.parseInt(std.readLine());
```

```
if(num==1)
{
    name[z] = "Jeans(Denim)";
    price[z] = 299;
    z++;
    System.out.println("The cost of your choice is Rs 299");
    cost = cost+299; }
else
if(num==2)
    {
    name[z] = "Fancy tops(Sleeveless,Halter necked, Full sleeves)";
    price[z] = 199;
    z++;
    System.out.println("The cost of your choice is Rs 199");
    cost = cost+199; }
else
System.out.println("Please check your input");
break;
case 5: System.out.println("This is the Party Wear section !");
```

```
System.out.println("The Party Wear section provides you with  
amazing varieties of choices to choose from.");
```

```
System.out.println("We also provide sizes ranging from  
Small(s)\n\n,Medium(m)\n\n,Large(l)\n\n,Extra Large(XL)");
```

```
System.out.println("Please enter no. according to your choice.");
```

```
System.out.print("Enter \t 1.for Cocktail Dresses \t 2.for  
Disco Dresses \t 3.for Strapless Dresses.");
```

```
num = Integer.parseInt(std.readLine());
```

```
if(num==1)
```

```
{ disc = 1000-(0.25*1000);
```

```
cost = cost+disc;
```

```
name[z] = "Cocktail Dresses";
```

```
price[z] = disc;
```

```
z++;
```

```
System.out.println("The cost of your choice is Rs 1000 but after  
discount it is Rs" +cost); }
```

```
else
```

```
if(num==2)
```

```
{ disc = 1500-(0.25*1500);
```



```
cost = cost+disc;
```

```
name[z] = "Disco Dresses";
```

```
price[z] = disc;
```

```
z++;
```

```
System.out.println("The cost for your choice is Rs 1500 but  
after discount it is Rs" +cost); }
```

```
else
```

```
if(num==3)
```

```
{ disc = 2500-(0.25*2500);
```

```
cost = cost+disc;
```

```
name[z] = "Strapless Dresses";
```

```
price[z] = disc;
```

```
z++;
```

```
System.out.println("The cost of your choice is Rs 2500 but after  
discount it is Rs" +cost); }
```

```
else
```

```
System.out.println("Please check your input");
```

```
break;
```

```
default: System.out.println("Please check your input"); }
```

```
}
```

```
public void Men()throws IOException
```

```
{    BufferedReaderstd    =    new    BufferedReader(new  
InputStreamReader(System.in));
```

```
System.out.println("*****Welcomes to the Men's  
clothing section *****");
```

```
System.out.println("We provide a wide range of selection");
```

```
System.out.println("Kindly enter the no. given in the menu");
```

```
System.out.print("Enter \t 1.for Ethnic Wear \t 2.for Casual  
Wear \t 3.for Formal Wear \t 4.for Western Wear \t 5.for  
Party Wear.");
```

```
System.out.print("We are extremely delighted to announce  
that");
```

```
System.out.print("we provide 20% discount on all section in the  
Casual Wear ! and");
```

```
System.out.println("25% discount on Formal Wear !");
```

```
intchwo = Integer.parseInt(std.readLine());
```

```
switch(chwo)
```

```
{ case 1: System.out.print("This is the Ethnic section and we are  
very glad to announce that");
```

```
System.out.println("the latest designs have just come in.");
```

```
System.out.println("The Ethnic section provides you with its  
own varieties.");
```

```
System.out.println("We also provide sizes ranging from  
Small(s)\n\n,Medium(m)\n\n,Large(l)\n\n,Extra Large(XL).");
```

```
System.out.println("Please enter the no. according to your  
choice.");
```

```
System.out.print("Enter \t 1.for Kurtas \t 2.for Traditional  
Sherwanis \t 3.for Jodhpuri Suit \t 4.for KurtaPyjama.");
```

```
intnum = Integer.parseInt(std.readLine());
```

```
if(num==1)
```

```
{ name[z] = "Kurtas";
```

```
price[z] = 699;
```

```
z++;
```

```
System.out.println("The cost of your choice is Rs 699");
```

```
cost = cost+699; }
```

```
else
```

```
if(num==2)
```

```
{ name[z] = "Traditional Sherwanis";  
price[z] = 1999;  
z++;  
System.out.println("The cost for your choice is Rs 1999");  
cost = cost+1999; }  
  
else  
  
if(num==3)  
{ name[z] = "Jodhpuri Suit";  
price[z] = 2999;  
z++;  
System.out.println("The cost for your choice is Rs 2999");  
cost = cost+2999; }  
  
else  
  
if(num==4)  
{ name[z] = "KurtaPyjama";  
price[z] = 1750;  
z++;  
System.out.println("The cost for your choice is Rs 1750");
```

```
cost = cost+1750; }
```

```
else
```

```
System.out.println("Please check your input");
```

```
break;
```

```
case 2: System.out.println("This is the Casual Wear section and  
we are very glad to announce that we have received the latest  
design");
```

```
System.out.println("The Casual Wear section provide you with  
wide varities.");
```

```
System.out.println("We also provide sizes ranging from  
Small(s)\n\n,Medium(m)\n\n,Large(l)\n\n,Extra Large(XL).");
```

```
System.out.println("Please enter the number according to your  
choice.");
```

```
System.out.print("Enter \t 1.for Casual pants \t 2.for Casual  
shirts \t 3.for Casual t-shirts");
```

```
System.out.print("\t 4.for Sweaters/Jackets \t 5.for  
Trousers/Shorts.");
```

```
num = Integer.parseInt(std.readLine());
```

```
if(num==1)
```

```
{ disc = 1000-(0.20*1000);
```

```
cost = cost+disc;
```

```
name[z] = "Casual pants";
```

```
price[z] = disc;
```

```
z++;
```

```
System.out.println("The cost of your choice is Rs 1000 but the  
discounted price is Rs" +disc); }
```

```
else
```

```
if(num==2)
```

```
{ disc = 750-(0.20*750);
```

```
cost = cost+disc;
```

```
name[z] = "Casual shirts";
```

```
price[z] = disc;
```

```
z++;
```

```
System.out.println("The cost of your choice is Rs 750 but the  
discounted price is Rs" +disc); }
```

```
else
```

```
if(num==3)
```

```
{ disc = 800-(0.20*800);
```

```
cost = cost+disc;
```

```
name[z] = "Casual t-shirts";
```

```
price[z] = disc;
```

```
z++;
```

```
System.out.println("The cost for your choice is Rs 800 but the  
discounted price is Rs" +disc); }
```

```
else
```

```
if(num==4)
```

```
{ disc = 1500-(0.20*1500);
```

```
cost = cost+disc;
```

```
name[z] = "Sweaters/Jackets";
```

```
price[z] = disc;
```

```
z++;
```

```
System.out.println("The cost of your choice is Rs 1500 but the  
discounted price is Rs" +disc); }
```

```
else
```

```
if(num==5)
```

```
{ disc = 1250-(0.20*1250);
```

```
cost = cost+1250;
```

```
name[z] = "Trousers/shots";
```

```
price[z] = disc;
```

```
z++;
```

```
System.out.println("The cost of your choice is Rs 1250 but the  
discounted price is Rs" +disc); }
```

```
else
```

```
System.out.println("Please check your input");
```

```
break;
```

```
case 3: System.out.println("This is the Formal Wear section and  
we are very glad to announce that we have received the latest  
designs.");
```

```
System.out.println("The Formal Wear section provide you with  
wide varieties.");
```

```
System.out.println("We also provide sizes ranging from  
Small(s)\n\n,Medium(m)\n\n,Large(l)\n\n,Extra Large(XL).");
```

```
System.out.println("Please enter the no. according to your  
choice.");
```

```
System.out.print("Enter \t 1.for Formal pants \t 2.for Formal  
shirts \t 3.for Tuxedos \t 4.for Coats and Blazers.");
```

```
num = Integer.parseInt(std.readLine());
```

```
if(num==1)
```



```
{ disc = 1999-(0.25*1999);
```

```
cost = cost+disc;
```

```
name[z] = "Formal pants";
```

```
price[z] = disc;
```

```
z++;
```

```
System.out.println("The cost of your choice is Rs 1999 but the  
discounted price is Rs" +disc); }
```

```
else
```

```
if(num==2)
```

```
{ disc = 1000-(0.25*1000);
```

```
cost = cost+disc;
```

```
name[z] = "Formal shirts";
```

```
price[z] = 1000;
```

```
z++;
```

```
System.out.println("The cost of your choice is Rs 1000 but the  
discounted price is Rs" +disc); }
```

```
else
```

```
if(num==3)
```

```
{ disc = 3999-(0.25*3999);
```

```
cost = cost+disc;
```

```
name[z] = "Tuxedoes";
```

```
price[z] = disc;
```

```
z++;
```

```
System.out.println("The cost of your choice is Rs 3999 but the  
discounted price is Rs" +disc); }
```

```
else
```

```
if(num==4)
```

```
{ disc = 2950-(0.25*2950);
```

```
cost = cost+disc;
```

```
name[z] = "Coats and Blazers";
```

```
price[z] = disc;
```

```
z++;
```

```
System.out.println("The cost of your choice is Rs 2950 but the  
discounted price is Rs" +disc); }
```

```
else
```

```
System.out.println("Please check your input");
```

```
break;
```

```
case 4: System.out.println("This is the Western Wear section  
and we are very glad to announce that we have received the  
latest designs.");
```

```
System.out.println("The Western Wear section provides you  
with a wide varieties from the Western side itself.");
```

```
System.out.println("We also provide sizes ranging from  
Small(s)\n\n,Medium(m)\n\n,Large(l)\n\n,Extra Large(XL).");
```

```
System.out.println("Please enter the no. according to your  
choice.");
```

```
System.out.print("Enter \t 1.for Jeans(Denim) \t 2.for  
Western designed shirts.");
```

```
num = Integer.parseInt(std.readLine());
```

```
if(num==1)
```

```
{ name[z] = "Jeans(denim)";
```

```
price[z] = 499;
```

```
z++;
```

```
System.out.println("The cost of your choice is Rs 499");
```

```
cost = cost+499; }
```

```
else
```

```
if(num==2)
```

```
{ name[z] = "Western designed shirts";  
price[z] = 299;  
  
z++;  
  
System.out.println("The cost of your choice is Rs 299");  
  
cost = cost+299; }  
  
else  
  
System.out.println("Please check your input");  
  
break;  
  
case 5: System.out.println("This is the Party Wear section !");  
  
System.out.println("The Party Wear section provides you with  
an amazing varieties of choices to choose from.");  
  
System.out.println("We also provide sizes ranging from  
Small(s)\n\n,Medium(m)\n\n,Large(l)\n\n,Extra Large(XL).");  
  
System.out.println("Please enter the no. according to your  
choice.");  
  
System.out.print("Enter \t 1.for Party Wear Suits \t 2.for  
Party Outfits");  
  
num = Integer.parseInt(std.readLine());  
  
if(num==1)
```

```
{ System.out.println("The cost of your choice is Rs 2000");  
cost = cost+2000;  
name[z] = "Party Wear Suits";  
price[z] = 2000;  
z++;}  
  
else  
  
if(num==2)  
{ System.out.println("The cost of your choice is Rs is 2699");  
cost = cost+2699;  
name[z] = "Party Outfits";  
price[z] = 2699;  
z++; }  
  
else  
  
System.out.println("Please check your input");  
  
break;  
  
default: System.out.println("Please check your input");  
  
    }  
  
}
```

```

public void Surprise()throws IOException
{
    BufferedReaderstd    =    new    BufferedReader(new
InputStreamReader(System.in));

System.out.println("&* &* &* &* &* &* &* &* Welcome to the
Surprise clothing section* &* &* &* &* &* &* &*");

System.out.println("@@@@@@@@@@@@@@This section is
solely dedicated to all those young couples out there who have
decided to tie a knot@@@@@@@@@@@@@.");

System.out.println("##### We try to make it special
by providing a wide range of Bridal Wear for the Brides and
Designer Wear for the Grooms to choose from.So please enter
the no. tha you want #####");

System.out.println("All you need to do is look around and find
the outfit of your size!");

System.out.print("Enter 1.for Gowns \t 2.for Designer Sarees -
\t 3.for Designer Suits \t 4.for Designer Sherwanis.");

intchwo = Integer.parseInt(std.readLine());

switch(chwo) {

case 1:    System.out.println("The cost of your choice is Rs
5999");

```

```
cost = cost+5999;
```

```
name[z] = "Gowns";
```

```
price[z] = 5999;
```

```
z++;
```

```
break;
```

```
case 2:    System.out.println("The cost of your choice is Rs  
7999");
```

```
cost = cost+7999;
```

```
name[z] = "Designer Sarees";
```

```
price[z] = 7999;
```

```
z++;
```

```
break;
```

```
case 3:    System.out.println("The cost of your choice is Rs  
4999");
```

```
cost = cost+4999;
```

```
name[z] = "Designer Suits";
```

```
price[z] = 4999;
```

```
z++;
```

```
break;
```

```
case 4:    System.out.println("The cost of your choice is Rs  
6999");
```

```
cost = cost+6999;
```

```
name[z] = "Designer Sherwanis";
```

```
price[z] = 6999;
```

```
z++;
```

```
break;
```

```
default: System.out.println("Please check your input");
```

```
    }
```

```
  }
```

```
}
```


OUTPUT

*****()()*****()()*****

*****WELCOME TO SHOPPINGMALL*****!!!

*****OUTLLA SHOPPINGMALL*****

@@@@@@ THE CLOTHING STORE WHERE ALL YOUR NEEDS FOR CLOTHES ARE FULFILED @@@@@@@@@@@@@@

%%%%%%%%%%IF YOUR IN FOR A MOOD OF SHOPPING THEN...YOU ARE IN THE RIGHT PLACE%%%%%%%%%

WE ALLOW OUR CUSTOMERS TO SHOP CONVENIENTLY AND PROVIDE THEM A WIDE VARIETY OF CHOICES TO CHOOSE FROM.

THE CHOICES ARE

1. WOMEN'S WEAR
2. MEN'S WEAR
3. SURPRISE SECTION

ENTER YOUR CHOICE

1

!!!!!!! WELCOME TO THE WOMEN'S CLOTHING SECTION !!!!!!!

\$\$\$\$\$\$WE PROVIDE A WIDE RANGE OF SELECTIONS \$\$\$\$\$\$\$

^^^^^^^ SO KINDLY ENTER THE NUMBER AS GIVEN IN THE MENU
^^^^^^

ENTER 1. FOR ETHNIC WEAR 2. FOR CASUAL WEAR
3.FOR FORMAL WEAR 4. FOR WESTERN WEAR 5. FOR PARTY
WEAR.&&&&&& WE ARE EXTREMELY DELIGHTED TO ANNOUNCE
THAT &&&&&&

!!!! WE PROVIDE 15% DISCOUNT IN THE CASUAL WEAR SELECTION AND
25% DISCOUNT ON!!!!!!

@@@@ ALL THE SECTION OF THE PARTY WEAR @@@@

1

THIS IS THE ETHNICSECTION AND WE ARE VERY GLAD TO ANNOUNCE
THAT THE LATEST DESIGNS HAVE JUST COME IN!!

THE ETHNIC SECTION PROVIDE YOU WITH ITS OWN VARITIES.

WE ALSO PROVIDE SIZES RANGING FROM SMALL(S)

, MEDIUM(M)

, LARGE(L)

AND EXTRA LARGE(XL).

PLEASE ENTER THE NO ACCORDING TO YOUR CHOICE

ENTER 1.FOR SAREE 2.FOR PATTIYALLAS 3.FOR CHUDDIDHARS
4.FOR SALWARS KAMEEZ 5.FOR KURTIS AND 6.FOR GHAGRAS.4

THE COST FOR YOUR CHOIE IS RS 650

###PLEASE TYPE 'STOP' IF YOU WANT TO STOP###

!!!TYPE ANYTHING ELSE IF U WANT TO CONTINUE SHOPPING!!!

STOP

YOUR BILL :

S1.NO	ITEM NAME	COST OF THE ITEM
1	SALWARS KAMEEZ	650.0RS

TOTAL COST TO BE PAID = RS650.0

HOPE YOU ENJOY SHOPPING ! AND PLEASE DO COME BACK SOON !

AND IF YOU ARE NOT ENJOY IT!!!! SORYYYYY FOR THAT

THANKSSSSSSSS FOR VISITING

ARE THERE ANY MORE CUSTOMERS?

ENTER NO IF THERE ARE NO MORE CUSTOMERS

NO

VARIABLE DESCRIPTION TABLE

VARIABLE NAME	DATA TYPE	PURPOSE
• cost	double	to store the cost of the selected item
• disc	double	to calculate the discount
• name	String	to store the names of the items displayed
• num	int	to store the user's choice
• Billamt	double	to store total amount
• c	int	to store the first choice given by user

CONCLUSION

AFTER READING THIS PROJECT, IT IS CONCLUDED THAT MANY METHOD ARE THEIR TO MAKE THIS PROJECT “SHOPPING MAIL” BY USING SOME ADVANCED METHOD OF JAVA .BUT I USED THE METHOD OF MY STANDARD LEVEL TO COMPLETE MY PROJECT BY USING MATH CLASS FUNCTIONS AND SCANNER CLASS.

IT ALSO GIVES THE STUDY OF UPCOMING DATA AND ALSO HELP THEM TO STUDY AND LEARN BETTER AND EASILY.

BIBLIOGRAPHY

- **BOOK OF COMPUTER.**
- **COMPUTER ICSE X TH STANDARD COMPUTER BOOK**
- **COMPUTER CENTER FOR COMPUTERISED PAGE**
- **GUIDANCE FROM PARENTS**
- **EXCELLENT GUIDENCE FROM OUR SCHOOL TEACHERS**